

## Contents of *Aquaculture*, Volume 274

VOL. 274 NOS. 1–4

5 February 2008

### Review Article

Probiotics in aquaculture: the need, principles and mechanisms of action and screening processes

A. Kesarcodi-Watson, H. Kaspar (Nelson, New Zealand), M.J. Lategan and L. Gibson (Broadway, NSW, Australia) ..... 1

### Diseases

Recruitment and effects of *Discocotyle sagittata* (Monogenea) infection on farmed trout

M. Rubio-Godoy (Veracruz, Mexico) and R.C. Tinsley (Bristol, United Kingdom) ..... 15

Oxytetracycline (OTC) accumulation and elimination in hemolymph, muscle and hepatopancreas of white shrimp *Litopenaeus vannamei* following an OTC-feed therapeutic treatment

S. Gómez-Jiménez, A. Espinosa-Plascencia, F. Valenzuela-Villa and M. del Carmen Bermúdez-Almada (Sonora, Mexico) ..... 24

Susceptibility by amberjack (*Seriola dumerili*), yellowtail (*S. quinquedactylus*) and Japanese flounder (*Paralichthys olivaceus*) to *Neobenedenia girellae* (Monogenea) infection and their acquired protection

Y. Ohno, F. Kawano (Oita, Japan) and N. Hirazawa (Tokyo, Japan) ..... 30

Disruption of quorum sensing in *Vibrio harveyi* by the AiiA protein of *Bacillus thuringiensis*

F. Bai, Y. Han, J. Chen and X.-H. Zhang (Qingdao, PR China) ..... 36

### Genetics

Development and evaluation of microsatellite markers for identification of individual Greenshell™ mussels (*Perna canaliculus*) in a selective breeding programme

E.S. MacAvoy, A.R. Wood and J.P.A. Gardner (Wellington, New Zealand) ..... 41

### Husbandry and Management

Waste excretion of marble goby (*Oxyeleotris marmorata* Bleeker) fed with different diets

S.S. Lam, Mohd. A. Ambak, A. Jusoh and A.T. Law (Kuala Terengganu, Malaysia) ..... 49

Acoustic conditioning for recall/recapture of escaped Atlantic salmon and rainbow trout

M.F. Thurst (Boston, MA, USA), J. Andrew (Kingston, RI, USA), K. Baldwin (Durham, NH, USA) and T.M. Bradley (Kingston, RI, USA) ..... 57

Feed preferences of *Salminus brasiliensis* (Pisces, Characidae) larvae in fish ponds

D.F.O. Ribeiro, A.P. de Oliveira Nuñez (Santa Catarina, Brazil) ..... 65

Comparison of two methods for evaluating waste of a flow through trout farm

E. Roque d'Orbecastel, J.-P. Blancheton (Palavas-les-Flots, France), T. Boujard (Saint Peé sur Nivelle, France), J. Aubin (Rennes cedex, France), Y. Moutounet (Nersac, France), C. Przybyla (Palavas-les-Flots, France) and A. Belaud (Castanet Tolosan, France) ..... 72

Comparison of digestive and antioxidant enzymes activities, haemolymph oxyhemocyanin contents and hepatopancreas histology of white shrimp, *Litopenaeus vannamei*, at various salinities

E. Li, L. Chen (Shanghai, China), C. Zeng (Haina, China), N. Yu, Z. Xiong (Shanghai, China), X. Chen (Hainan, China) and J.G. Qin (Adelaide, SA, Australia) ..... 80

Feed demand behavior in sea bass juveniles: Effects on individual specific growth rate variation and health (inter-individual and inter-group variation)

S. Millot, M.-L. Bégout (L'HOUEAU, France), J. Person-Le Ruyet (PLOUZANE, France), G. Breuil (PALAVAS-LES-FLOTS, France), C. Di-Poi (SAINT-ETIENNE Cedex, France), J. Fievet (PALAVAS-LES-FLOTS, France), P. Pineau, M. Roué (L'HOUEAU, France) and A. Sévère (PLOUZANE, France) ..... 87

Exponential growth model of Nile tilapia (*Oreochromis niloticus*) strains considering heteroscedastic variance

V.B. dos Santos, E. Yoshihara (Presidente Prudente, Brazil), R.T. Fonseca de Freitas and R.V.R. Neto (Lavras, Brazil) ..... 96

### Physiology and Endocrinology

Growth performance and metabolic utilization of diets with native and waxy maize starch by gilthead sea bream (*Sparus aurata*) juveniles

P. Enes (Porto, Portugal), S. Panserat, S. Kaushik (St-Pée-sur-Nivelle, France) and A. Oliva-Teles (Porto, Portugal) ..... 101

Effects of dietary canola oil level on growth performance, fatty acid composition and ionoregulatory development of spring chinook salmon parr, *Oncorhynchus tshawytscha*

S.S.Y. Huang, C.H.L. Fu, D.A. Higgs, S.K. Balfry, P.M. Schulte and C.J. Brauner (Vancouver, BC, Canada) ..... 109

## Contents of *Aquaculture*, Volume 274

VOL. 274 NOS. 1–4

5 February 2008

### Review Article

Probiotics in aquaculture: the need, principles and mechanisms of action and screening processes

A. Kesarcodi-Watson, H. Kaspar (Nelson, New Zealand), M.J. Lategan and L. Gibson (Broadway, NSW, Australia) ..... 1

### Diseases

Recruitment and effects of *Discocotyle sagittata* (Monogenea) infection on farmed trout

M. Rubio-Godoy (Veracruz, Mexico) and R.C. Tinsley (Bristol, United Kingdom) ..... 15

Oxytetracycline (OTC) accumulation and elimination in hemolymph, muscle and hepatopancreas of white shrimp *Litopenaeus vannamei* following an OTC-feed therapeutic treatment

S. Gómez-Jiménez, A. Espinosa-Plascencia, F. Valenzuela-Villa and M. del Carmen Bermúdez-Almada (Sonora, Mexico) ..... 24

Susceptibility by amberjack (*Seriola dumerili*), yellowtail (*S. quinquedactylus*) and Japanese flounder (*Paralichthys olivaceus*) to *Neobenedenia girellae* (Monogenea) infection and their acquired protection

Y. Ohno, F. Kawano (Oita, Japan) and N. Hirazawa (Tokyo, Japan) ..... 30

Disruption of quorum sensing in *Vibrio harveyi* by the AiiA protein of *Bacillus thuringiensis*

F. Bai, Y. Han, J. Chen and X.-H. Zhang (Qingdao, PR China) ..... 36

### Genetics

Development and evaluation of microsatellite markers for identification of individual Greenshell™ mussels (*Perna canaliculus*) in a selective breeding programme

E.S. MacAvoy, A.R. Wood and J.P.A. Gardner (Wellington, New Zealand) ..... 41

### Husbandry and Management

Waste excretion of marble goby (*Oxyeleotris marmorata* Bleeker) fed with different diets

S.S. Lam, Mohd. A. Ambak, A. Jusoh and A.T. Law (Kuala Terengganu, Malaysia) ..... 49

Acoustic conditioning for recall/recapture of escaped Atlantic salmon and rainbow trout

M.F. Thurst (Boston, MA, USA), J. Andrew (Kingston, RI, USA), K. Baldwin (Durham, NH, USA) and T.M. Bradley (Kingston, RI, USA) ..... 57

Feed preferences of *Salminus brasiliensis* (Pisces, Characidae) larvae in fish ponds

D.F.O. Ribeiro, A.P. de Oliveira Nuñez (Santa Catarina, Brazil) ..... 65

Comparison of two methods for evaluating waste of a flow through trout farm

E. Roque d'Orbcastel, J.-P. Blancheton (Palavas-les-Flots, France), T. Boujard (Saint Peé sur Nivelle, France), J. Aubin (Rennes cedex, France), Y. Moutounet (Nersac, France), C. Przybyla (Palavas-les-Flots, France) and A. Belaud (Castanet Tolosan, France) ..... 72

Comparison of digestive and antioxidant enzymes activities, haemolymph oxyhemocyanin contents and hepatopancreas histology of white shrimp, *Litopenaeus vannamei*, at various salinities

E. Li, L. Chen (Shanghai, China), C. Zeng (Haina, China), N. Yu, Z. Xiong (Shanghai, China), X. Chen (Hainan, China) and J.G. Qin (Adelaide, SA, Australia) ..... 80

Feed demand behavior in sea bass juveniles: Effects on individual specific growth rate variation and health (inter-individual and inter-group variation)

S. Millot, M.-L. Bégout (L'HOUEAU, France), J. Person-Le Ruyet (PLOUZANE, France), G. Breuil (PALAVAS-LES-FLOTS, France), C. Di-Poi (SAINT-ETIENNE Cedex, France), J. Fievet (PALAVAS-LES-FLOTS, France), P. Pineau, M. Roué (L'HOUEAU, France) and A. Sévère (PLOUZANE, France) ..... 87

Exponential growth model of Nile tilapia (*Oreochromis niloticus*) strains considering heteroscedastic variance

V.B. dos Santos, E. Yoshihara (Presidente Prudente, Brazil), R.T. Fonseca de Freitas and R.V.R. Neto (Lavras, Brazil) ..... 96

### Physiology and Endocrinology

Growth performance and metabolic utilization of diets with native and waxy maize starch by gilthead sea bream (*Sparus aurata*) juveniles

P. Enes (Porto, Portugal), S. Panserat, S. Kaushik (St-Pée-sur-Nivelle, France) and A. Oliva-Teles (Porto, Portugal) ..... 101

Effects of dietary canola oil level on growth performance, fatty acid composition and ionoregulatory development of spring chinook salmon parr, *Oncorhynchus tshawytscha*

S.S.Y. Huang, C.H.L. Fu, D.A. Higgs, S.K. Balfry, P.M. Schulte and C.J. Brauner (Vancouver, BC, Canada) ..... 109

Effects of <i>Escherichia coli</i> lipopolysaccharides and dissolved ammonia on immune response in southern white shrimp <i>Litopenaeus schmitti</i> T. Rodríguez-Ramos, G. Espinosa (Cuba), J. Hernández-López, T. Gollas-Galván (Sonora, Mexico), J. Marrero (Cuba), Y. Borrell (Spain), M.E. Alonso (Cuba), U. Bécquer and M. Alonso (Cuba) . . . . .	118
Identification and characterization of a green-type mutant of <i>Porphyra tenera</i> Kjellman var. <i>tamatsuenensis</i> Miura (Bangiales, Rhodophyta) K. Niwa (Hyogo, Japan), T. Yamamoto (Mei, Japan) and A. Kobiyama (Iwate, Japan) . . . . .	126
<b>Nutrition</b>	
Methionine intake affect hepatic sulphur metabolism in Atlantic salmon, <i>Salmo salar</i> M. Espe, E.M. Hevroy, B. Liaset (Bergen, Norway), A. Lemme (Hanau (Wolfgang), Germany) and A. El-Mowafi (Dirdal, Norway) . . . . .	132
Effect of dietary taurine and cystine on growth performance of juvenile red sea bream <i>Pagrus major</i> H. Matsunari (Tokyo, Mie, Japan), H. Furuita, T. Yamamoto, S.-K. Kim (Mie, Japan), Y. Sakakura (Nagasaki, Japan) and T. Takeuchi (Tokyo, Japan) . . . . .	142
Dietary mannan oligosaccharide enhances salinity tolerance and gut development of larval cobia G. Salze, E. McLean (Blacksburg, VA, United States), M.H. Schwarz (Hampton, VA, United States) and S.R. Craig (Blacksburg, VA, United States) . . . . .	148
Temperature and dietary carbohydrate level effects on performance and metabolic utilisation of diets in European sea bass ( <i>Dicentrarchus labrax</i> ) juveniles I.S. Moreira, H. Peres, A. Couto, P. Enes and A. Oliva-Teles (Porto, Portugal) . . . . .	153
Dietary copper requirements of juvenile grouper, <i>Epinephelus malabaricus</i> Y.-H. Lin, Y.-Y. Shie (Keelung, Taiwan) and S.-Y. Shiau (Keelung, Taichung Country, Taiwan) . . . . .	161
Seasonal adjusted diets to Atlantic salmon ( <i>Salmo salar</i> ): Evaluations of a novel feed based on heat-coagulated fish mince, fed throughout 1 year in sea: Feed utilisation, retention of nutrients and health parameters G.-I. Hemre (Bergen, Norway) and K. Sandnes (Norway) . . . . .	166
<b>Short Communication</b>	
Effect of starvation during late megalopa stage of <i>Mithraculus forceps</i> (Brachyura: Majidae) on larval duration, synchronism of metamorphosis, survival to juvenile, and newly metamorphosed juvenile size J. Figueiredo (Cascais, Portugal; Melbourne, Florida, USA), G. Penha-Lopes, L. Narciso (Cascais, Portugal) and J. Lin (Melbourne, Florida, USA) . . . . .	175
<b>Review Article</b>	
Using Bayesian networks to examine consistent trends in fish farm benthic impact studies H. Giles (Hamilton, New Zealand) . . . . .	181
<b>Diseases</b>	
Extracts of <i>Ceramium rubrum</i> , <i>Mastocarpus stellatus</i> and <i>Laminaria digitata</i> inhibit growth of marine and fish pathogenic bacteria at ecologically realistic concentrations D. Dubber and T. Harder (Oldenburg, Germany) . . . . .	196
First detection of the protozoan parasite <i>Bonamia exitiosa</i> (Haplosporidia) infecting flat oyster <i>Ostrea edulis</i> grown in European waters E. Abollo, A. Ramilo, S.M. Casas, P. Comesaña, A. Cao, M.J. Carballal and A. Villalba (Vilanova de Arousa, Spain) . . . . .	201
The old menace is back: Recent crayfish plague outbreaks in the Czech Republic E. Kozubíková (Prague, Czech Republic), A. Petrušek (Prague, Vodňany, Czech Republic), Z. Ďuriš (Ostrava, Czech Republic), M.P. Martin, J. Diéguez-Uribeondo (Madrid, Spain) and B. Oidtmann (Dorset, United Kingdom) . . . . .	208
<b>Genetics</b>	
Analysis of the parental contribution to a group of fry from a single day of spawning from a commercial Atlantic cod ( <i>Gadus morhua</i> ) breeding tank M. Herlin (Scotland, UK), M. Delghandi, M. Wesmajervi (Tromsø, Norway), J.B. Taggart, B.J. McAndrew and D.J. Penman (Scotland, UK) . . . . .	218
Genetic parameters of production traits in Atlantic salmon ( <i>Salmo salar</i> ) J. Powell (Scotland, UK), I. White (Edinburgh, UK), D. Guy (Clackmannanshire, UK) and S. Brotherstone (Edinburgh, UK) . . . . .	225
Establishing a base population for a breeding program in aquaculture, from multiple subpopulations, differentiated by genetic drift: I. Effects of the number of subpopulations, heritability and mating strategies using optimum contribution selection M. Holtsmark, G. Klemetsdal, A.K. Sonesson (Ås, Norway) and J.A. Woolliams (Ås, Norway; Scotland, UK) . . . . .	232
Establishing a base population for a breeding program in aquaculture, from multiple subpopulations, differentiated by genetic drift: II. Sensitivity to assumptions on the additive genetic relationships of base animals M. Holtsmark, G. Klemetsdal, A.K. Sonesson (Ås, Norway) and J.A. Woolliams (Ås, Norway; Scotland, UK) . . . . .	241
<b>Husbandry and Management</b>	
Microbial flora of spermatophores from black tiger shrimp ( <i>Penaeus monodon</i> ) declines over long-term cryostorage S. Nimrat (Chonburi, Thailand), A.N. Bart (Thailand), A. Keatsaksit and V. Vuthiphanchai (Chonburi, Thailand) . . . . .	247
Effects of reduced salinities on growth, feed conversion efficiency and blood physiology of juvenile Atlantic halibut ( <i>Hippoglossus hippoglossus</i> L.) A.K. Imsland (Kópavogur, Iceland; Bergen, Norway), A. Gústavsson (Sauðárkrúkur, Iceland), S. Gunnarsson (Kópavogur, Iceland), A. Foss (Bergen, Norway), J. Árnason (Akureyri, Iceland), I. Arnarson (Sauðárkrúkur, Iceland), A.F. Jónsson, H. Smáradóttir (Akureyri, Iceland) and H. Thorarensen (Sauðárkrúkur, Iceland) . . . . .	254
Production dynamics of the giant lions-paw scallop <i>Nodipecten subnodosus</i> cultivated off-bottom M. Osuna-García, A. Hernandez-Llamas and J.M. Mazón-Suástegui (La Paz, Mexico) . . . . .	260
Induction of settlement in the sea urchin <i>Tripneustes gratilla</i> by macroalgae, biofilms and conspecifics: A role for bacteria? S.A. Dworjanyn (Coffs Harbour, NSW, Taylors Beach, Australia) and I. Pirozzi (Taylors Beach, Australia) . . . . .	268
Chemical estimation of phosphorus released from hypersaline pond sediments used for brine shrimp <i>Artemia franciscana</i> production in the Mekong Delta C.M. Khoi, V.T. Guong (Cantho City, Vietnam), M. Drouillon, P. Pypers and R. Merckx (Heverlee, Belgium) . . . . .	275

Influence of temperature and food availability on the biochemical composition and mortality of juvenile <i>Mercenaria mercenaria</i> (L.) during the over-winter period	
C.B. Zarnoch (New York, Brooklyn, NY, United States) and M.P. Schreiber (Brooklyn, New York, United States)	281
Interactive effects of ammonia and oxygen on growth and physiological status of juvenile Atlantic cod ( <i>Gadus morhua</i> )	
M. Remen (Bergen, Norway), A.K. Imsland (Bergen, Norway; Kópavogur, Iceland), S.O. Stefánsson, T.M. Jonassen and A. Foss (Bergen, Norway)	292
Modelling local food depletion effects in mussel rafts of Galician Rias	
P. Duarte (Porto, Portugal), U. Labarta and M.J. Fernández-Reiriz (Vigo, Spain)	300
Trade-offs between shellfish aquaculture and benthic biodiversity: A modelling approach for sustainable management	
A. Sequeira, J.G. Ferreira (Monte de Caparica, Portugal), A.J.S. Hawkins (Plymouth, United Kingdom), A. Nobre (Monte de Caparica, Portugal), P. Lourenço (Lisboa, Portugal), X.L. Zhang (Qingdao, China), X. Yan (Ningbo, China) and T. Nickell (Scotland, United Kingdom)	313
<b>Nutrition</b>	
Lipid digestibility, bile drainage and development of morphological intestinal changes in rainbow trout ( <i>Oncorhynchus mykiss</i> ) fed diets containing defatted soybean meal	
O.H. Romarheim, A. Skrede (CoE, Ås, Norway), M. Penn (CoE, Oslo, Norway), L.T. Mydland (CoE, Ås, Norway), Å. Kroghdahl (CoE, Oslo, Norway) and T. Storebakken (CoE, Ås, Norway)	329
Rheological behavior of polysaccharide based pellets for crayfish feeding tested on growth in the crayfish <i>Cherax albidus</i>	
M.G. Volpe (Avellino, Italy), M. Monetta (Benevento, Italy), M. Di Stasio (Avellino, Italy) and M. Paolucci (Benevento, Italy)	339
The use of harpacticoid copepods as live prey for <i>Amphiprion clarkii</i> larviculture: Effects on larval survival and growth	
I. Olivetto, F. Capriotti (Ancona, Italy), I. Buttino (Napoli, Italy), A.M. Avella (Ancona, Italy), V. Vitiello (Napoli, Italy), F. Maradonna and O. Carnevali (Ancona, Italy)	347
Threonine requirements for rainbow trout ( <i>Oncorhynchus mykiss</i> ) and Atlantic salmon ( <i>Salmo salar</i> ) at the fry stage are similar	
N. Bodin (Louvain-la-Neuve, Belgium), M. Mambrini (Jouy-en-Josas, France), J.-B. Wauters, T. Abboudi (Louvain-la-Neuve, Belgium), W. Ooghe (Gent, Belgium), E. Le Boulenger, Y. Larondelle and X. Rollin (Louvain-la-Neuve, Belgium)	353
Time course deposition of conjugated linoleic acid in market size rainbow trout ( <i>Oncorhynchus mykiss</i> ) muscle	
A. Ramos (Porto, Coimbra, Portugal), N.M. Bandarra (Lisboa, Portugal), P. Rema (Porto, Vila Real, Portugal), P. Vaz-Pires (Porto, Portugal), M.L. Nunes, A.M. Andrade, A.R. Cordeiro (Lisboa, Portugal) and L.M.P. Valente (Porto, Portugal)	366
Biochemical composition of copepods for evaluation of feed quality in production of juvenile marine fish	
T. van der Meer (Storebo, Norway), R.E. Olsen (Matredal, Norway), K. Hamre and H.J. Fyhn (Bergen, Norway)	375
<b>Physiology and Endocrinology</b>	
Combined effect of exposure to ammonia and hypoxia on the blue shrimp <i>Litopenaeus stylirostris</i> survival and physiological response in relation to molt stage	
C. Mugnier, E. Zipper, C. Goarant and H. Lemonnier (Nouméa Cedex, New Caledonia)	398
Biological activities of single-chain goldfish follicle-stimulating hormone and luteinizing hormone	
Y. Hayakawa, T. Morita, W. Kitamura, S. Kanda, A. Banba (Tokyo, Japan), H. Nagaya (Saitama, Japan), K. Hotta (Niigata, Japan), Y.C. Sohn (Gangneung, South Korea), G. Yoshizaki and M. Kobayashi (Tokyo, Japan)	408
<b>Contents of Aquaculture, Volume 274</b>	416

